

ANALYTICA CHIMICA ACTA, VOL. 238 (1990)

AUTHOR INDEX

- Antranikian, G., see Hundek, H.-G. 211
- Aubeck, R.
—, Bräuchle, C. and Hampf, N.
Ion-selective membrane electrodes for the determination of the muscle relaxants pancuronium, tubocurarine, gallamine and succinylcholine 405
- Baldo, M.A., see Daniele, S. 357
- Barnett, N.W., see MacLaurin, P. 171
- Beaucaire, C., see Moulin, C. 291
- Beenackers, A.A.C.M., see Marsman, J.H. 129
- Benson, R.L.
—, Worsfold, P.J. and Sweeting, F.W.
On-line determination of residual aluminium in potable and treated waters by flow-injection analysis 177
- Bergveld, P., see Schasfoort, R.B.M. 323
- Bhatti, M.S., see Rashid, F. 427
- Blase, S., see Doerffel, K. 55
- Blet, V., see Marion, P. 117
- Bombi, G.G., see Tapparo, A. 279
- Boscher, Y., see Dorbon, M. 149
- Brand, U.
—, Reinhardt, B., Rüther, F., Scheper, T. and Schügerl, K.
Bio-field-effect transistors as detectors in flow-injection analysis 201
- Branica, M., see Zelić, M. 393
- Bräuchle, C., see Aubeck, R. 405
- Breman, B.B., see Marsman, J.H. 129
- Bruijn, H.E. de, see Eenink, R.G. 317
- Burguera, J.L., see Carbonell, V. 417
- Burguera, M., see Carbonell, V. 417
- Carbonell, V.
—, De la Guardia, M., Salvador, A., Burguera, J.L. and Burguera, M.
On-line microwave oven digestion flame atomic absorption analysis of solid samples 417
- Carr-Brion, K.G.
Sampling systems for on-line analysis of materials that are difficult to handle 11
- Chow, A., see Khan, A.S. 423
- Clarke, J.R.P.
Process analysis 3
- Crane, M., see MacLaurin, P. 171
- Daniele, S.
—, Baldo, M.A., Ugo, P. and Mazzocchin, G.A.
Voltammetric probe of milk samples by using a platinum microelectrode 357
- Davis, A.A.
Analytical instrument maintenance and its implications 45
- De Bruijn, H.E., see Eenink, R.G. 317
- Decambox, P., see Moulin, C. 291
- De la Guardia, M., see Carbonell, V. 417
- Demuth, H.-U., see Silberring, J. 331
- Dermeik, S.
— and Sasson, Y.
Long-chain ammonium fluoride salts as universal analytical reagents for total anion determination 389
- Dettwiler, B., see Heinzle, E. 101
- Díaz García, M.E., see Fernández de la Campa, M.R. 297
- Dietz, M.L., see Horwitz, E.P. 263
- Doerffel, K.
—, Niedtner, R., Raschke, U. and Blase, S.
Time-series analysis in analytical process control 55
- Dorbon, M.
—, Durand, J.P. and Boscher, Y.
On-line octane-number analyser for reforming unit effluents. Principle of the analyser and test of a prototype 149
- Durand, J.P., see Dorbon, M. 149
- Ede, C.J. van, see Marsman, J.H. 129
- Eenink, R.G.
—, De Bruijn, H.E., Kooyman, R.P.H. and Greve, J.
Fibre-fluorescence immunosensor based on evanescent wave detection 317
- Fairman, W.D., see Horwitz, E.P. 263
- Fang, J., see Wang, Z. 399
- Fernández de la Campa, M.R.
—, Liu, Y.M., Díaz García, M.E. and Sanz-Medel, A.
Fluorescence and liquid room-temperature phosphorescence of the aluminium-ferrocene chelate in vesicles 297
- Fernando, L.M.
— and Lenn, C.P.
Jet mixing of water in crude oil pipelines for representative sampling 251
- Forsberg, P., see Ivaska, A. 223
- García, M.E. Díaz, see Fernández de la Campa, M.R. 297
- Ge, H.
—, Zhao, H. and Wallace, G.G.
Development of a polymer dispersed-mercury modified electrode 345
- Greve, J., see Eenink, R.G. 317
—, see Schasfoort, R.B.M. 323
- Groussin, J.C.
Industrial analysers and vocational training 239
- Guardia, M. de la, see Carbonell, V. 417
- Guillemin, C.L.
Progress and prospects in on-line-process gas and liquid chromatography 17

- Hale, J.M.
— and Parreaux, D.
Method for the determination of the solubility of gases in liquids 257
- Hampp, N., see Aubeck, R. 405
- Heikka, R., see Ivaska, A. 223
- Heinzle, E.
—, Oeggerli, A. and Dettwiler, B.
On-line fermentation gas analysis: error analysis and application of mass spectrometry 101
- Hernández, L., see Hernández, P. 383
- Hernández, P.
—, Lorenzo, E. and Hernández, L.
Determination of azinphos-methyl by adsorptive stripping voltammetry 383
- Horwitz, E.P.
—, Dietz, M.L., Nelson, D.M., LaRosa, J.J. and Fairman, W.D.
Concentration and separation of actinides from urine using a supported bifunctional organophosphorus extractant 263
- Hosono, S., see Nakamura, T. 351
- Huang, H.-J., see Tang, T.-C. 431
- Hübner, U., see Hundec, H.-G. 211
- Hundec, H.-G.
—, Sauerbrei, A., Hübner, U., Scheper, T., Schügerl, K., Koch, R. and Antranikian, G.
Four-channel enzyme thermistor system for process monitoring and control in biotechnology 211
- Inczédy, J.
Teaching of process analytical chemistry 63
- Iqbal, M.S., see Rashid, F. 427
- Ivaska, A.
—, Forsberg, P. and Heikka, R.
Application of an amperometric sensor to in-line monitoring of pulp bleaching with chlorine dioxide 223
- Izutsu, K., see Nakamura, T. 351
- Jiao, K., see Liu, C. 367
- Jin, W., see Lu, J. 375
- Johnson, C.A.
Rapid ion-exchange technique for the separation and pre-concentration of chromium(VI) and chromium(III) in fresh waters 273
- Jørgensen, S.B., see Pedersen, N.H. 139
- Khan, A.S.
— and Chow, A.
X-ray fluorescence spectrometric determination of germanium after extraction with polyurethane foam 423
- Kobayashi, N., see Yao, T. 339
- Koch, R., see Hundec, H.-G. 211
- Komai, M., see Nakamura, T. 351
- Kooyman, R.P.H., see Eenink, R.G. 317
- , see Schasfoort, R.B.M. 323
- Kümmel, M., see Pedersen, K.M. 191
- LaRosa, J.J., see Horwitz, E.P. 263
- Lenn, C.P., see Fernando, L.M. 251
- Li, C., see Yang, J. 307
- Linares, P., see Morales, M.T. 411
- Liu, C.
— and Jiao, K.
Ultraviolet irradiation and polarographic adsorptive complex wave techniques for the simple and rapid simultaneous determination of trace amounts of zinc, lead and copper in human hair 367
- Liu, Y.M., see Fernández de la Campa, M.R. 297
- Lorenzo, E., see Hernández, P. 383
- Lu, J.
—, Jin, W. and Wang, S.
Adsorption voltammetry of the vanadium-2-(5'-bromo-2'-pyridylazo)-5-diethylaminophenol (5-Br-PADAP) system 375
- Luque de Castro, M.D., see Morales, M.T. 411
- MacLaurin, P.
—, Parker, K.S., Townshend, A., Worsfold, P.J., Barnett, N.W. and Crane, M.
On-line determination of sulphite in brine by flow-injection analysis 171
- McPeters, H.L.
On-line analysis of polymer melt processes 83
- Maj, S.P.
Formal specification techniques and structured methods of analysis in scientific/industrial systems 79
- Marion, P.
—, Rouillier, M.C., Blet, V. and Pons, M.N.
On-line monitoring of cyanide concentration via a gas membrane system in extractive metallurgical processes 117
- Marsman, J.H.
—, Van Ede, C.J., Breman, B.B., Stamhuis, E.J. and Beenackers, A.A.C.M.
Applications of the deferred standard technique in process gas chromatography 129
- Mauchien, P., see Moulin, C. 291
- Mazzocchin, G.A., see Daniele, S. 357
- Mellbin, G.
Application of laboratory robots in industrial automation 71
- Morales, M.T.
—, Linares, P., Luque de Castro, M.D. and Valcárcel, M.
Enzyme co-immobilization for the sequential determination of lactic acid and glucose in serum 411
- Moulin, C.
—, Beaucaire, C., Decambox, P. and Mauchien, P.
Determination of uranium in solution at the ng l^{-1} level by time-resolved laser-induced spectrofluorimetry: application to geological samples 291
- Nakamura, T.
—, Komai, M., Hosono, S. and Izutsu, K.
Response of polyacrylamide-acrylic poly(oxyethylene)-coated ion-selective electrodes to alkali and alkaline earth

- metal ions in propylene carbonate and its thermodynamic application 351
- Nelson, D.M., see Horwitz, E.P. 263
- Niedtner, R., see Doerffel, K. 55
- Nogueiras, L., see Parisi, A.F. 95
- Nyberg, F., see Silberring, J. 331
- Oeggerli, A., see Heinzle, E. 101
- Parisi, A.F.
—, Nogueiras, L. and Prieto, H.
On-line determination of fuel quality parameters using near-infrared spectrometry with fibre optics and multivariate calibration 95
- Parker, K.S., see MacLaurin, P. 171
- Parreaux, D., see Hale, J.M. 257
- Pedersen, K.M.
—, Kümmel, M. and Søeberg, H.
Monitoring and control of biological removal of phosphorus and nitrogen by flow-injection analysers in a municipal pilot-scale waste-water treatment plant 191
- Pedersen, N.H.
— and Jørgensen, S.B.
Gas chromatographic subsystem for fast on-line concentration profile measurements for advanced distillation column control 139
- Pons, M.-N., see Marion, P. 117
— and Vivier, H.
Crystallization monitoring by quantitative image analysis 243
- Porretta, S.
— and Sandei, L.
Use of a process colorimeter in industrial processing of tomatoes 231
- Prieto, H., see Parisi, A.F. 95
- Fuzic, R.
Application of wet chemistry techniques to process analysis and control 161
- Pyrzyńska, K.
Preconcentration of nickel using cellulose ion exchangers for electrothermal atomic absorption spectrometric determination 285
- Raschke, U., see Doerffel, K. 55
- Rashid, F.
—, Iqbal, M.S. and Bhatti, M.S.
Mini ozonizer for instant production of ozone required for oxidation reactions and its application in the foam flotation-separation technique 427
- Reinhardt, B., see Brand, U. 201
- Ren, X., see Yang, J. 307
- Rouillier, M.C., see Marion, P. 117
- Rüther, F., see Brand, U. 201
- Salvador, A., see Carbonell, V. 417
- Sandeil, L., see Porretta, S. 231
- Sanz-Medel, A., see Fernández de la Campa, M.R. 297
- Sasson, Y., see Dermeik, S. 389
- Sauerbrey, A., see Hundenck, H.-G. 211
- Schasfoort, R.B.M.
—, Bergveld, P., Kooyman, R.P.H. and Greve, J.
Possibilities and limitations of direct detection of protein charges by means of an immunological field-effect transistor 323
- Scheper, T., see Brand, U. 201
—, see Hundenck, H.-G. 211
- Schügerl, K., see Brand, U. 201
—, see Hundenck, H.-G. 211
- Secq, A.
Problèmes rencontrés dans l'installation et l'exploitation d'analyseurs: nécessité de disposer d'une méthodologie 35
- Silberring, J.
—, Demuth, H.-U. and Nyberg, F.
Highly efficient proteinase assay with chromogenic substrates and its application in a study of enzyme inhibitors 331
- Søeberg, H., see Pedersen, K.M. 191
- Stamhuis, E.J., see Marsman, J.H. 129
- Sun, X.-P., see Tian, L.-C. 183
- Sweeting, F.W., see Benson, R.L. 177
- Tang, T.-C.
— and Huang, H.-J.
Linear calibration graph applicable to the indirect determination of sulphate 431
- Tapparo, A.
— and Bombi, G.G.
Ion chromatographic determination of trace amounts of aluminium with on-line preconcentration and spectrophotometric detection 279
- Tian, L.-C.
—, Sun, X.-P., Xu, Y.-Y. and Zhi, Z.-L.
Segmental flow-injection analysis: device and applications 183
- Townshend, A., see MacLaurin, P. 171
- Ugo, P., see Daniele, S. 357
- Valcárcel, M., see Morales, M.T. 411
- Van Ede, C.J., see Marsman, J.H. 129
- Vivier, H., see Pons, M.-N. 243
- Wallace, G.G., see Ge, H. 345
- Wang, S., see Lu, J. 375
- Wang, Z.
—, Wu, N. and Fang, J.
Analysis of the antitarnish film on a tin surface by x-ray photoelectron spectroscopy and Auger electron spectroscopy 399
- Wasa, T., see Yao, T. 339
- Worsfold, P.J., see Benson, R.L. 177
—, see MacLaurin, P. 171
- Wu, N., see Wang, Z. 399

Xu, Y.-Y., see Tian, L.-C. 183

Yang, J.

—, Zhou, H., Ren, X. and Li, C.

Fluorescence enhancement of the Eu-Tb-benzoylacetone-phenanthroline system 307

Yao, T.

—, Kobayashi, N. and Wasa, T.

Amperometric flow-injection system with an immobilized enzyme reactor for the highly selective detection of phosphate and on-line amplification by substrate recycling 339

Zelić, M.

— and Branica, M.

Highest possible percentage of mixed-ligand complexes (MA_aB_b) in solutions 393

Zhao, H., see Ge, H. 345

Zhi, Z.-L., see Tian, L.-C. 183

Zhou, H., see Yang, J. 307

